

#### Republic of the Philippines Department of Agriculture BUREAU OF ANIMAL INDUSTRY

## VETERINARY LABORATORY DIVISION Address: Visayas Avenue, Diliman, Quezon City Landline: 8528-2230

Mobile Nos.: 0939-391-8276 E-mail Add: addrl@bai.gov.ph



#### **SCHEDULE OF FEES**

| DIAGNOSTIC TESTS  | LABORATORY FEES  | DURATION OF TEST   |
|---|--|--|
| PATHOLOGY   |  |  |
| A. Gross Pathology (Necropsy)   |  | 3 working days   |
| 1. Poultry – Up to 8 weeks old  | 50.00/head   | (for every 12 carcasses)   |
|   |  | 3 working days   |
| 2. Poultry – Over 2 months old  | 75.00/head   | (for every 12 carcasses)   |
|   |  | 3 working days   |
| 3. Swine – Up to 8 weeks old  | 100.00/head  | (for every 1 carcass)  |
| 4. Swine – Over 2 months old  | 150.00/head  | 3 working days   |
| 4. Swiffe – Over 2 months ofd   | 150.00/ flead  | (for every 1 carcass)  |
| 5. Swine – Sow/Boar   | 200.00/head  | 3 working days   |
| 5. 5. m. 5 56.1/26a.  | 200100/11000   | (for every 1 carcass)  |
| 6. Goat   | 150.00/head  | 3 working days   |
|   | ,  | (for every 2 carcasses) 3 working days   |
| 7. Cattle/Carabao/Horse - Up to 8 weeks old   | 200.00/head  | (for every 1 carcass)  |
|   |  | 3 working days   |
| 8. Cattle/Carabao/Horse - Over 2 months old   | 300.00/head  | (for every 1 carcass)  |
|   |  | 5 working days   |
| 9. Canine/Feline <sup>f</sup>   | 200.00/head  | (Rabies+Necropsy)  |
|   |  | (for every 1 carcass)  |
| B. Histopathology (Microscopic Examination)   |  |  |
| 1. Tissue Processing  | 50.00/slide  | 14 working days  |
| (Reading not included)  |  | (for every 40 slides)  |
| C. Clinical Pathology   |  | 2auliina dassa   |
| 1. Differential Count (Automated) <sup>a</sup>  | 100.00/sample  | 2 working days<br>(for every 50 samples)   |
|   |  | (  |
| I. VIROLOGY   |  |  |
| A. Viral Isolation and Identification <sup>a</sup>  |  |  |
| 1. Tissue Culture   | 450.00/sample  | 30 calendar days   |
| 2. Egg Inoculation  | 450.00/sample  | 30 calendar days   |
| 3. Viral Identification   | 1=000/   | 201 1 1  |
|   | 450.00/sample  | 30 calendar days   |
| B. Serology <sup>a</sup>  | 450.00/sample  | 30 calendar days   |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup>   | 450.00/sample  | 30 calendar days   |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  |  |  |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup>  | 150.00/sample  | 3 working days   |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)   | 150.00/sample<br>150.00/sample   | 3 working days<br>3 working days   |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  | 150.00/sample<br>150.00/sample<br>150.00/sample  | 3 working days<br>3 working days<br>3 working days   |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)   | 150.00/sample<br>150.00/sample   | 3 working days<br>3 working days   |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)  Horse:   | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample   | 3 working days 3 working days 3 working days 3 working days  |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)  Horse:  a. Equine Infectious Anemia (EIA) – Coggins' Test  | 150.00/sample<br>150.00/sample<br>150.00/sample  | 3 working days 3 working days 3 working days   |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)  Horse:  a. Equine Infectious Anemia (EIA) – Coggins' Test  2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup>   | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample   | 3 working days 3 working days 3 working days 3 working days  |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)  Horse:  a. Equine Infectious Anemia (EIA) – Coggins' Test  2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup> Cattle/Carabao/Swine/Goat/Sheep:  | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample<br>250.00/sample                                      | 3 working days                               |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD) c. Infectious Laryngotracheitis (ILT) d. Marek's Disease (MD)  Horse: a. Equine Infectious Anemia (EIA) – Coggins' Test 2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup> Cattle/Carabao/Swine/Goat/Sheep: a. Foot and Mouth Disease (FMD)  | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample   | 3 working days 3 working days 3 working days 3 working days  |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD) c. Infectious Laryngotracheitis (ILT) d. Marek's Disease (MD)  Horse: a. Equine Infectious Anemia (EIA) – Coggins' Test 2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup> Cattle/Carabao/Swine/Goat/Sheep: a. Foot and Mouth Disease (FMD)  Cattle/Carabao/Goat/Sheep:  | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample<br>250.00/sample                                      | 3 working days 3 working days 3 working days 3 working days 4 working days                               |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD) c. Infectious Laryngotracheitis (ILT) d. Marek's Disease (MD)  Horse: a. Equine Infectious Anemia (EIA) – Coggins' Test 2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup> Cattle/Carabao/Swine/Goat/Sheep: a. Foot and Mouth Disease (FMD)  | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample<br>250.00/sample                                      | 3 working days                               |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)  Horse:  a. Equine Infectious Anemia (EIA) – Coggins' Test  2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup> Cattle/Carabao/Swine/Goat/Sheep:  a. Foot and Mouth Disease (FMD)  Cattle/Carabao/Goat/Sheep:  a. Bluetongue (BT) <sup>f</sup>  | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample<br>250.00/sample                                      | 3 working days 3 working days 3 working days 3 working days  3 working days  4 working days              |
| B. Serologya  1. Agar Gel Immunodiffusion Test (AGID)b  Poultry:  a. Avian Influenza (AI)f  b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)  Horse:  a. Equine Infectious Anemia (EIA) – Coggins' Test  2. Enzyme-Linked Immunosorbent Assay (ELISA)c  Cattle/Carabao/Swine/Goat/Sheep:  a. Foot and Mouth Disease (FMD)  Cattle/Carabao/Goat/Sheep:  a. Bluetongue (BT)f  Cattle/Carabao:   | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample<br>250.00/sample<br>1,500.00/ sample                  | 3 working days 3 working days 3 working days 3 working days 4 working days                               |
| B. Serology <sup>a</sup> 1. Agar Gel Immunodiffusion Test (AGID) <sup>b</sup> Poultry:  a. Avian Influenza (AI) <sup>f</sup> b. Infectious Bursal Disease (IBD)  c. Infectious Laryngotracheitis (ILT)  d. Marek's Disease (MD)  Horse:  a. Equine Infectious Anemia (EIA) – Coggins' Test  2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup> Cattle/Carabao/Swine/Goat/Sheep:  a. Foot and Mouth Disease (FMD)  Cattle/Carabao/Goat/Sheep:  a. Bluetongue (BT) <sup>f</sup> Cattle/Carabao:  a. Bovine Leukemia Virus (BLV) <sup>f</sup> | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample<br>250.00/sample<br>1,500.00/ sample<br>300.00/sample | 3 working days 4 working days 4 working days |
| B. Serologya  1. Agar Gel Immunodiffusion Test (AGID)b  Poultry:  a. Avian Influenza (AI)f b. Infectious Bursal Disease (IBD) c. Infectious Laryngotracheitis (ILT) d. Marek's Disease (MD)  Horse: a. Equine Infectious Anemia (EIA) – Coggins' Test 2. Enzyme-Linked Immunosorbent Assay (ELISA)c  Cattle/Carabao/Swine/Goat/Sheep: a. Foot and Mouth Disease (FMD)  Cattle/Carabao/Goat/Sheep: a. Bluetongue (BT)f  Cattle/Carabao: a. Bovine Leukemia Virus (BLV)f b. Lumpy Skin Diseasef   | 150.00/sample<br>150.00/sample<br>150.00/sample<br>150.00/sample<br>250.00/sample<br>1,500.00/ sample<br>300.00/sample | 3 working days 4 working days 4 working days |



## Republic of the Philippines Department of Agriculture BUREAU OF ANIMAL INDUSTRY

# VETERINARY LABORATORY DIVISION Address: Visayas Avenue, Diliman, Quezon City Landline: 8528-2230

Mobile Nos.: 0939-391-8276 E-mail Add: addrl@bai.gov.ph



| DIAGNOSTIC TESTS   | LABORATORY FEES            | DURATION OF TEST                                   |
|--|----------------------------|--|
| Swine:   | LABORATORTTEES             | DORATION OF TEST                                   |
| a. African Swine Fever (ASF) <sup>f</sup>  | 300.00/sample              | 4 working days                                     |
| b. Aujeszky's Disease or<br>Pseudorabies (PRV) gE  | 300.00/sample              | 4 working days                                     |
| c. Classical Swine Fever (CSF) <sup>f</sup>  | 300.00/sample              | 4 working days                                     |
| d. Japanese Encephalitis Virus (JEV) <sup>f</sup>  | 300.00/sample              | 4 working days                                     |
| e. Porcine Circovirus 2 (PCV2) <sup>f</sup>  | 300.00/sample              | 4 working days                                     |
| f. Porcine Epidemic Diarrhea (PED) <sup>f</sup>  | 300.00/sample              | 4 working days                                     |
| g. Porcine Reproductive and Respiratory Syndrome (PRRS)  | 300.00/sample              | 4 working days                                     |
| h. Swine Influenza (SI)  | 300.00/sample              | 4 working days                                     |
| Poultry:   |                            |  |
| a. Avian Influenza (AI)  | 300.00/sample              | 5 working days                                     |
| Horse:   |                            |  |
| a. African Horse Sickness (AHS) <sup>f</sup>   | 300.00/sample              | 4 working days                                     |
| Rabbit:  | 222.227                    |  |
| a. Rabbit Haemorrhagic Disease (RHD) <sup>f</sup>  | 300.00/sample              | 4 working days                                     |
| 3. Hemagglutination-Hemagglutination Inhibition  |                            |  |
| (HA-HI) Test  Poultry:   |                            |  |
| a. Infectious Bronchitis (IB)  | 100.00/sample              | 3 working days                                     |
| b. Newcastle Disease (ND)  | 75.00/sample               | 3 working days                                     |
| b. Newcastie Disease (ND)  | 100.00/subtype/            |  |
| c. Avian Influenza (AI)  | sample                     | 5 working days                                     |
| C. Rabies Examination  | Î                          |  |
| Fluorescent Antibody Test (FAT)  | 200.00/sample              | 2 working days                                     |
|  |                            |  |
| III. BACTERIOLOGY  |                            |  |
| A. Antibiotic Sensitivity Test   | 150.00/organism            | 3 working days                                     |
| B. Bacterial Isolation and Identification <sup>d,e</sup>   |                            |  |
| 1. General Bacterial Isolation and Identification  | 250.00/organism/<br>sample | 8 working days                                     |
| 2. Salmonella Isolation and Identification   | 450.00/sample              | 5 working days                                     |
| 3. Honeybee Bacterial Isolation and Identification <sup>f</sup>  | 250.00/organism/sample     | 10 working days                                    |
| C. Water Coliform Count <sup>d</sup>   | 300.00/sample              | 5 working days                                     |
| D. Fungal Isolation and Identification <sup>e</sup>  | 250.00/sample              | 15 working days                                    |
| E. Bacterial Count <sup>d</sup>  | 500.00/sample              | 3 working days                                     |
| F. Fungal Count <sup>e</sup>   | 500.00/sample              | 12 working days                                    |
| G. Serology <sup>a,e</sup>   |                            |  |
| 1. Rapid Plate Test (RPT)  |                            |  |
| Cattle/Carabao/Swine/Goat/Sheep:   | 17000/                     |  |
| a. Brucella sp.  | 150.00/sample              | 2 working days                                     |
| Poultry:   | 150.00/                    | 2  |
| a. Mycoplasma gallisepticum  | 150.00/sample              | 2 working days                                     |
| b. Mycoplasma synoviae   | 150.00/sample              | 2 working days                                     |
| c. Salmonella pullorum   | 150.00/sample              | 2 working days                                     |
| Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c</sup> a. Actinobacillus pleuropneumoniae <sup>f</sup> | 300.00/sample              | 4 working days                                     |
| b. Brucella sp.  | 300.00/sample              | 4 working days                                     |
| c. Coxiella burnetii (Q Fever) <sup>f</sup>  | 300.00/sample              | 4 working days                                     |
| d. Mycobacterium paratuberculosis <sup>f</sup>   | 300.00/sample              | 4 working days                                     |
|  | 300.00/sample              | 4 working days                                     |
| e Mycohacterium tuherculosis <sup>t</sup>  | . Jooloo/Jamidic           | <u> </u>   |
| e. Mycobacterium tuberculosis <sup>f</sup> f Mycoplasma gallisenticium <sup>f</sup>                    |                            | 4 working days                                     |
| f. Mycoplasma gallisepticum <sup>f</sup>   | 300.00/sample              | 4 working days 4 working days                      |
| ·  |                            | 4 working days<br>4 working days<br>4 working days |



#### Republic of the Philippines Department of Agriculture BUREAU OF ANIMAL INDUSTRY

### VETERINARY LABORATORY DIVISION

Address: Visayas Avenue, Diliman, Quezon City

Landline: 8528-2230 Mobile Nos.: 0939-391-8276 E-mail Add: addrl@bai.gov.ph



| DIAGNOSTIC TESTS  | LABORATORY FEES                                    | DURATION OF TEST                        |
|---|--|---|
| IV. PARASITOLOGY  |  |   |
| A. Blood Parasite Examination (BPE) <sup>e</sup>  |  |   |
| 1. Direct Smear   | 15.00/sample                                       | 3 working days (for every 20 samples)   |
| 2. Stained Smear  | 25.00/sample                                       | 3 working days (for every 10 samples    |
| 3. Mice Inoculation Test (MIT)  | 60.00/sample                                       | 21 days<br>(for every 10 samples)       |
| 4. Hematocrit Centrifugation Technique (HCT) <sup>f</sup>   | 75.00/sample                                       | 3 working days (for every 20 samples)   |
| B. Fecal Examination <sup>e</sup>   |  |   |
| 1. Direct Smear <sup>f</sup>  | 20.00/sample                                       | 3 working days (for every 20 samples)   |
| 2. Flotation  |  |   |
| a. Test Tube Flotation Method   | 20.00/sample                                       | 3 working days (for every 20 samples)   |
| b. McMaster Flotation Method  | 20.00/sample                                       | 3 working days (for every 20 samples)   |
| 3. Sedimentation  | 20.00/sample                                       | 3 working days (for every 20 samples)   |
| 4. Larval Culture   | 35.00/sample                                       | 21 days                                 |
| C. Serology <sup>a</sup>  |  |   |
| 1. Card Agglutination Test for Trypanosomes (CATT)  | 90.00/sample                                       | 4 working days (for every 30 samples)   |
| 2. Enzyme-Linked Immunosorbent Assay (ELISA) <sup>c,f</sup>   | 300.00/sample                                      | 4 working days (for every 90 samples)   |
| D. Identification of Parasite   |  |   |
| 1. Tissue parasite  | 170.00/sample                                      | 14 working days (for every 1 sample)    |
| 2. Whole parasite   | 50.00/sample                                       | 14 working days<br>(for every 1 sample) |
| E. Detection and Identification of Honey Bee<br>Parasites/Pests <sup>f</sup>  |  |   |
| Sugar Alcohol Shake Method  | 50.00/test/pest                                    | 3 days<br>(for every test per pest)     |
| 2. Bottom Board Counting Method   | 50.00/test/pest                                    | 3 days<br>(for every test per pest)     |
| 3. Smear Examination for Nosema sp.   | 100.00/1-30 samples                                | 14 days<br>(for every 60 samples)       |
| 4. Dissection for Tracheal mites (Acarapis woodi)   | 100.00/1-30 samples                                | 14 days<br>(for every 60 samples)       |
| 5. Small Hive Beetle (Aethina tumida)   | 50.00/sample                                       | 21 days                                 |
| V. MOLECULAR  |  |   |
| A. Molecular Techniques   |  |   |
| <ol> <li>Real-Time Polymerase Chain Reaction (PCR)</li> <li>Conventional Polymerase Chain Reaction (PCR)</li> </ol> | 3,000.00/sample or test<br>2,500.00/sample or test | 5 working days<br>5 working days        |
| 2. Conventional Polymer ase Chann Reaction (PCR)  | 2,500.00/ Sample of test                           | 5 WOLKING UAYS                          |

<sup>&</sup>lt;sup>a</sup>Depending upon the availability of reagents/kits

New test not in Administrative Order No. 25, Series of 2003; for inclusion in the proposed amendment of Schedule of Fees



<sup>&</sup>lt;sup>b</sup>Requires 3 or 4 samples to run the test

<sup>&</sup>lt;sup>c</sup>Testing will only run if the number of samples is enough to fill an ELISA plate

dSubmission of samples (for farm/animal consumption only) should be from Monday to Wednesday only

<sup>&</sup>lt;sup>e</sup>Duration of test depends on the number of samples/current cases