

Republic of the Philippines Department of Agriculture BUREAU OF ANIMAL INDUSTRY

Visayas Ave., Diliman Quezon City 1101

🗘 (+632)8528-2240 🍙 director@bai.gov.ph 🌐 www.bai.gov.ph 🕝 @bai.gov.ph



April 24, 2023

SUPPLEMENTAL / BID BULLETIN No. 2023-005

This Supplemental Bid Bulletin No. 2023-005 is being issued to advise prospective bidder/s on modifications and amendments on certain items in the Bidding Document and Terms of Reference, if applicable for the supply and delivery of various items:

FROM	ТО
	IB -2023-040 OF RT -PCR MACHINE, 96-WELL WITH DESKTOP BC - P3,000,000.00
Specifications/Requirements: *Multiplexing: up to 6 targets	Specifications/Requirements: *Multiplexing: up to 5 targets per well
	IB -2023-042 ELIVERY OF DISINFECTANT POWDER CC - P 9,999,900.00

Disinfectant Powder, 100g/sachet

Specifications/Requirements:

- At least minimum 80% Potassium Monopersulfate
- Environmental friendly

*Note: Staggered Delivery

*Section III. Bid Data Sheet

ITB Clause 5.3

For this purpose, contracts similar to the Project shall be:

a. Supply and Delivery of Laboratory Supplies completed within two (2) years prior to the deadline for the submission and receipt of bids

*Submission of valid CPR and LTO - not indicated

Disinfectant Powder, 100g/sachet (original packaging)

Specifications/Requirements:

- At least minimum 50% Potassium Monopersulfate
- Environment-friendly or biodegradable

*One-time delivery

*Section III. Bid Data Sheet

ITB Clause 5.3

For this purpose, contracts similar to the Project shall be:

b. Supply and Delivery of Veterinary **Drugs, Supplies and Biologics** completed within two (2) years prior to the deadline for the submission and receipt of bids

ITB Clause 20.2 Submission of valid CPR from the Regulatory Agency concerned

IB -2023-044

1 LOT SUPPLY AND DELIVERY OF CAPTIVE BOLT STUNNING GUN CARTRIDGES (REBID) ABC - P 1,500,000.00

*Section III. Bid Data Sheet

ITB Clause 5.3

For this purpose, contracts similar to the Project shall be:

a. Supply and Delivery of Captive Bolt Stunning Gun Cartridges completed within two (2) years prior to the deadline for the submission and receipt of bids

*Section III. Bid Data Sheet

ITB Clause 5.3

For this purpose, contracts similar to the Project shall be:

a. Supply and Delivery of Veterinary Supplies completed within two (2) years prior to the deadline for the submission and receipt of bids

IB -2023-045 1 LOT SUPPLY AND DELIVERY OF TUBES WITH SCREW CAP (REBID) ABC – P 2,220,000.00

Specifications/Requirements:

- 1. Tubes with Screw Cap
- *Packaging not indicated

2. O-ring Tubes

- *Packaging not indicated
- *Capacity: 2 ml and 0.5 ml

3. Microcentrifuge tubes: 1000 pcs/pack

*Technical Specifications - not indicated

*Capacity - not indicated

4. Microcentrifuge tubes

- *Packaging not indicated
- *Capacity: 0.2 ml and 0.5 ml; 1.5 ml

*Section III. Bid Data Sheet

ITB Clause 5.3

For this purpose, contracts similar to the Project shall be:

 Supply and Delivery of Tubes with Screw Cap completed within two (2) years prior to the deadline for the submission and receipt of bids

Specifications/Requirements:

- 1. Tubes with Screw Cap, 5mL
- *Packaging 500 pcs/pack

2. O-ring Tubes

- *Packaging 500 pcs/pack
- *Capacity: 2 mL 270 packs

0.5 mL - 30 packs

3. Microcentrifuge tubes: 1000 pcs/pack

*Technical Specifications:

- Material: Polypropelene (colorless), with graduation
- Autoclavable: Yes
- Purity Grade: not necessarily RNAse/DNAse free
- Type: Safe-Lock
- Max. Force: 30,000 x G
- · Shape: Conical

*Capacity - 1.5 mL

4. Microcentrifuge tubes

- *Packaging: 1000 tubes/box
- *Capacity: 0.2 ml 15 boxes

0.5 ml - 35 boxes

1.5 ml - **50 boxes**

Section III. Bid Data Sheet

ITB Clause 5.3

For this purpose, contracts similar to the Project shall be:

Supply and Delivery of Laboratory
 Supplies completed within two (2) years prior to the deadline for the submission and receipt of bids

Please be guided accordingly.

MYRNA D. BALDECAÑAS, DVM

Vice Chairperson

Bids and Awards Committee

rece	ived.
Bidd	er/Representative
Date	:

Received.